

FÄLGNYHETER VÅR/SOMMAR 2023



OCL  BRORSSONS

Bäst på kvalitetsfälgar sedan 1948.

MONTREAL dark



MONTREAL dark
black/polished
18 - 20"

Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthål
7 x 18	5/100	AMO16BP39E	39	57,1	F	R13
7 x 18	5/108	AMO1HBP475E16	47,5	63,4	F	60
7 x 18	5/110	AMO17BP375E	37,5	65,1	F	60
7 x 18	5/112	AMO18BP43E	43	57,1	F	R13
7,5 x 18	5/108	AMOFHBP45E	45	63,4	F	60
7,5 x 18	5/108	AMOFHBP49E	49	65,1	F	FL
7,5 x 18	5/108	AMOFHBP505E	50,5	63,4	F	60
7,5 x 18	5/112	AMOF8BP50E	50	57,1	F	R13
7,5 x 18	5/114,3	AMOF0BP45	45	71,6	B	60
7,5 x 18	5/114,3	AMOF0BP495E	49,5	67,1	F	60
7 x 19	5/108	AMO9IHBP475E16	47,5	63,4	F	60
7 x 19	5/112	AMO9I8BP43E	43	57,1	F	R13
7,5 x 19	5/108	AMO9JHBP42E	42	65,1	F	FL
7,5 x 19	5/108	AMO9JHBP505E	50,5	63,4	F	60
7,5 x 19	5/112	AMO9J8BP50E	50	57,1	F	R13
7,5 x 19	5/114,3	AMO9J0BP38	38	71,6	B	60
7,5 x 19	5/114,3	AMO9J0BP495E	49,5	67,1	F	60
8 x 20	5/108	AMOOKHBP44E	44	65,1	F	FL
8 x 20	5/108	AMOOKHBP495E	49,5	63,4	F	60
8 x 20	5/114,3	AMOOK0BP57E	57	67,1	F	60
8,5 x 20	5/108	AMOO0LHBP45E	45	63,4	F	60
8,5 x 20	5/112	AMOO0L8BP35	35	70,1	B	60
8,5 x 20	5/112	AMOO0L8BP38E	38	57,1	F	R13
8,5 x 20	5/114,3	AMOO0L0BP545E	54,5	67,1	F	60



MONTREAL black



MONTREAL black
glossy black
18 - 20"



Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthål
7 x 18	5/100	AMO16BA39E	39	57,1	F	R13
7 x 18	5/108	AMO1HBA475E16	47,5	63,4	F	60
7 x 18	5/110	AMO17BA375E	37,5	65,1	F	60
7 x 18	5/112	AMO18BA43E	43	57,1	F	R13
7,5 x 18	5/108	AMOFHBA45E	45	63,4	F	60
7,5 x 18	5/108	AMOFHBA49E	49	65,1	F	FL
7,5 x 18	5/108	AMOFHBA505E	50,5	63,4	F	60
7,5 x 18	5/112	AMOF8BA50E	50	57,1	F	R13
7,5 x 18	5/114,3	AMOF0BA45	45	71,6	B	60
7,5 x 18	5/114,3	AMOF0BA495E	49,5	67,1	F	60
7 x 19	5/108	AMO9IHBA475E16	47,5	63,4	F	60
7 x 19	5/112	AMO9I8BA43E	43	57,1	F	R13
7,5 x 19	5/108	AMO9JHBA42E	42	65,1	F	FL
7,5 x 19	5/108	AMO9JHBA505E	50,5	63,4	F	60
7,5 x 19	5/112	AMO9J8BA50E	50	57,1	F	R13
7,5 x 19	5/114,3	AMO9J0BA38	38	71,6	B	60
7,5 x 19	5/114,3	AMO9J0BA495E	49,5	67,1	F	60
8 x 20	5/108	AMOOKHBA44E	44	65,1	F	FL
8 x 20	5/108	AMOOKHBA495E	49,5	63,4	F	60
8 x 20	5/114,3	AMOOK0BA57E	57	67,1	F	60
8,5 x 20	5/108	AMOO1HBA45E	45	63,4	F	60
8,5 x 20	5/112	AMOO18BA35	35	70,1	B	60
8,5 x 20	5/112	AMOO18BA38E	38	57,1	F	R13
8,5 x 20	5/114,3	AMOO10BA545E	54,5	67,1	F	60

ALASKA dark



perfekt för Taycan & e-tron GT



ALASKA dark
black/polished
20 - 21"

Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthöl
9 x 20	5/130	AAL0MLBP54E	54	71,6	F	R14
11 x 20	5/130	AAL0SLBP60E	60	71,6	F	R14
9,5 x 21	5/130	AAL1NLBP60E	60	71,6	F	R14
11,5 x 21	5/130	AAL1TLBP66E	66	71,6	F	R14



ALASKA black



perfekt för Taycan & e-tron GT



ALASKA black
glossy black
20 - 21"

Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthål
9 x 20	5/130	AAL0MLBA54E	54	71,6	F	R14
11 x 20	5/130	AAL0SLBA60E	60	71,6	F	R14
9,5 x 21	5/130	AAL1NLBA60E	60	71,6	F	R14
11,5 x 21	5/130	AAL1TLBA66E	66	71,6	F	R14





LongBeach dark
black/polished lip
20 - 22"

Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthål
9 x 20	5/108	OLO0MHBL385E	38,5	63,4	F	60
9 x 20	5/108	OLO0MHBL48	48	63,4	F	60
9 x 20	5/112	OLO0M8BL20E	20	66,6	F	R14
9 x 20	5/112	OLO0M8BL26E	26	66,6	F	R14
9 x 20	5/112	OLO0M8BL28E	28	66,6	F	60
9 x 20	5/112	OLO0M8BL33E	33	66,6	F	R14
9 x 20	5/112	OLO0M8BL35E	35	66,6	F	60
9 x 20	5/112	OLO0M8BL38E	38	66,6	F	R14
9 x 20	5/112	OLO0M8BL43	43	70,1	B	60
9 x 20	5/112	OLO0M8BL44ME	44	66,6	F	R14
9 x 20	5/112	OLO0M8BL50E	50	66,6	F	R14
9 x 20	5/112	OLO0M8BL57ME	57	66,6	F	R14
9 x 20	5/114,3	OLO0M0BL50	50	71,6	B	60
9 x 20	5/120	OLO0M9BL42	42	65,1	F	R14
9 x 20	5/120	OLO0M9BL44	44	72,6	F	FL
10 x 20	5/112	OLO0P8BL19E	19	66,6	F	R14
10 x 20	5/112	OLO0P8BL22E	22	66,6	F	R14
10 x 20	5/112	OLO0P8BL39E	39	66,6	F	60
10 x 20	5/112	OLO0P8BL43M	43	66,6	F	R14
9,5 x 21	5/108	OLO1NHBL36	36	63,4	F	60
9,5 x 21	5/112	OLO1N8BL25	25	66,6	F	R14
9,5 x 21	5/112	OLO1N8BL31E	31	66,6	F	R14
9,5 x 21	5/112	OLO1N8BL36E	36	66,6	F	R14
9,5 x 21	5/112	OLO1N8BL37E	37	66,6	F	60
9,5 x 21	5/112	OLO1N8BL42	42	70,1	B	60
9,5 x 21	5/112	OLO1N8BL45M	45	66,6	F	R14
9,5 x 21	5/114,3	OLO1NOBL40E	40	64,1	F	60
9,5 x 21	5/120	OLO1N9BL49E	49	72,6	F	FL
9,5 x 21	5/130	OLO1NLBL43	43	71,6	F	R14
10,5 x 21	5/112	OLO1R8BL20	20	66,6	F	R14
10,5 x 21	5/112	OLO1R8BL25E	25	66,6	F	R14
10,5 x 21	5/112	OLO1R8BL43E	43	66,6	F	60
10,5 x 21	5/112	OLO1R8BL50M	50	66,6	F	R14
10,5 x 21	5/114,3	OLO1ROBL48E	48	64,1	F	60
10,5 x 21	5/130	OLO1RLBL48	48	71,6	F	R14
9,5 x 22	5/108	OLO2NHBL36	36	63,4	F	60
9,5 x 22	5/112	OLO2N8BL32	32	66,6	F	R14
9,5 x 22	5/112	OLO2N8BL36E	36	66,6	F	R14
9,5 x 22	5/112	OLO2N8BL37E	37	66,6	F	60
9,5 x 22	5/112	OLO2N8BL40	40	70,1	B	60
9,5 x 22	5/120	OLO2N9BL49E	49	72,6	F	FL
9,5 x 22	5/130	OLO2NLBL43	43	71,6	F	R14
10,5 x 22	5/112	OLO2R8BL20	20	66,6	F	R14
10,5 x 22	5/112	OLO2R8BL25E	25	66,6	F	R14
10,5 x 22	5/112	OLO2R8BL43E	43	66,6	F	60
10,5 x 22	5/130	OLO2RLBL47	47	71,6	F	R14



LONG BEACH BLACK



LongBeach black
glossy black
20 - 22"

Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthål
9 x 20	5/108	OLO0MHBA385E	38,5	63,4	F	60
9 x 20	5/108	OLO0MHBA48	48	63,4	F	60
9 x 20	5/112	OLO0M8BA20E	20	66,6	F	R14
9 x 20	5/112	OLO0M8BA26E	26	66,6	F	R14
9 x 20	5/112	OLO0M8BA28E	28	66,6	F	60
9 x 20	5/112	OLO0M8BA33E	33	66,6	F	R14
9 x 20	5/112	OLO0M8BA35E	35	66,6	F	60
9 x 20	5/112	OLO0M8BA38E	38	66,6	F	R14
9 x 20	5/112	OLO0M8BA43	43	70,1	B	60
9 x 20	5/112	OLO0M8BA44ME	44	66,6	F	R14
9 x 20	5/112	OLO0M8BA50E	50	66,6	F	R14
9 x 20	5/112	OLO0M8BA57ME	57	66,6	F	R14
9 x 20	5/114,3	OLO0M0BA50	50	71,6	B	60
9 x 20	5/120	OLO0M9BA42	42	65,1	F	R14
9 x 20	5/120	OLO0M9BA44	44	72,6	F	FL
10 x 20	5/112	OLO0P8BA19E	19	66,6	F	R14
10 x 20	5/112	OLO0P8BA22E	22	66,6	F	R14
10 x 20	5/112	OLO0P8BA39E	39	66,6	F	60
10 x 20	5/112	OLO0P8BA43M	43	66,6	F	R14
9,5 x 21	5/108	OLO1NHBA36	36	63,4	F	60
9,5 x 21	5/112	OLO1N8BA25	25	66,6	F	R14
9,5 x 21	5/112	OLO1N8BA31E	31	66,6	F	R14
9,5 x 21	5/112	OLO1N8BA36E	36	66,6	F	R14
9,5 x 21	5/112	OLO1N8BA37E	37	66,6	F	60
9,5 x 21	5/112	OLO1N8BA42	42	70,1	B	60
9,5 x 21	5/112	OLO1N8BA45M	45	66,6	F	R14
9,5 x 21	5/114,3	OLO1NOBA40E	40	64,1	F	60
9,5 x 21	5/120	OLO1N9BA49E	49	72,6	F	FL
9,5 x 21	5/130	OLO1NLBA43	43	71,6	F	R14
10,5 x 21	5/112	OLO1R8BA20	20	66,6	F	R14
10,5 x 21	5/112	OLO1R8BA25E	25	66,6	F	R14
10,5 x 21	5/112	OLO1R8BA43E	43	66,6	F	60
10,5 x 21	5/112	OLO1R8BA50M	50	66,6	F	R14
10,5 x 21	5/114,3	OLO1ROBA48E	48	64,1	F	60
10,5 x 21	5/130	OLO1RLBA48	48	71,6	F	R14
9,5 x 22	5/108	OLO2NHBA36	36	63,4	F	60
9,5 x 22	5/112	OLO2N8BA32	32	66,6	F	R14
9,5 x 22	5/112	OLO2N8BA36E	36	66,6	F	R14
9,5 x 22	5/112	OLO2N8BA37E	37	66,6	F	60
9,5 x 22	5/112	OLO2N8BA40	40	70,1	B	60
9,5 x 22	5/120	OLO2N9BA49E	49	72,6	F	FL
9,5 x 22	5/130	OLO2NLBA43	43	71,6	F	R14
10,5 x 22	5/112	OLO2R8BA20	20	66,6	F	R14
10,5 x 22	5/112	OLO2R8BA25E	25	66,6	F	R14
10,5 x 22	5/112	OLO2R8BA43E	43	66,6	F	60
10,5 x 22	5/130	OLO2RLBA47	47	71,6	F	R14





FUJI dark
black/polished
18 - 20"

Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthål
7,5 x 18	4/100	OFUF2BP35	35	60,1	B	60
7,5 x 18	4/100	OFUF2BP45	45	60,1	B	60
7,5 x 18	4/108	OFUF3BP31	31	65,1	F	60
7,5 x 18	4/108	OFUF3BP45	45	63,4	F	60
7,5 x 18	5/100	OFUF6BP46E	46	57,1	F	R13
7,5 x 18	5/112	OFUF8BP48	48	70,1	B	60
7,5 x 18	5/112	OFUF8BP50E	50	57,1	F	R13
7,5 x 18	5/114,3	OFUF0BP48	48	71,6	B	60
8 x 18	5/108	OFUGHBP42E	42	63,4	F	60
8 x 18	5/108	OFUGHBP45	45	70,1	B	60
8 x 18	5/112	OFUG8BP35	35	70,1	B	60
8 x 18	5/112	OFUG8BP44E	44	57,1	F	R13
8 x 18	5/114,3	OFUG0BP40	40	71,6	B	60
7,5 x 19	5/108	OFU9JHBP48	48	70,1	B	60
7,5 x 19	5/112	OFU9J8BP40	40	70,1	B	60
7,5 x 19	5/112	OFU9J8BP48	48	70,1	B	60
7,5 x 19	5/112	OFU9J8BP50E	50	57,1	F	R13
8 x 19	5/108	OFU9KHBP40	40	70,1	B	60
8 x 19	5/112	OFU9K8BP30E	30	66,6	F	60
8 x 19	5/112	OFU9K8BP35	35	70,1	B	60
8 x 19	5/112	OFU9K8BP40	40	70,1	B	60
8 x 19	5/112	OFU9K8BP45E	45	57,1	F	R13
8 x 19	5/112	OFU9K8BP50	50	70,1	B	60
8 x 19	5/114,3	OFU9K0BP40	40	71,6	B	60
8 x 19	5/114,3	OFU9K0BP48	48	71,6	B	60
9 x 19	5/112	OFU9M8BP35	35	70,1	B	60
9 x 19	5/112	OFU9M8BP44E	44	66,6	F	60
9 x 19	5/112	OFU9M8BP51	51	70,1	B	60
9 x 19	5/114,3	OFU9M0BP40	40	71,6	B	60
8 x 20	5/108	OFU0KHBP40	40	70,1	B	60
8 x 20	5/112	OFU0K8BP30E	30	66,6	F	60
8 x 20	5/112	OFU0K8BP35	35	70,1	B	60
8 x 20	5/112	OFU0K8BP40	40	70,1	B	60
8 x 20	5/112	OFU0K8BP45E	45	57,1	F	R13
8 x 20	5/114,3	OFU0K0BP45	45	71,6	B	60
9 x 20	5/108	OFU0MHBP40	40	63,4	F	60
9 x 20	5/112	OFU0M8BP28	28	70,1	B	60
9 x 20	5/112	OFU0M8BP35	35	70,1	B	60
9 x 20	5/112	OFU0M8BP42E	42	57,1	F	R13
9 x 20	5/112	OFU0M8BP44E	44	66,6	F	60
9 x 20	5/114,3	OFU0M0BP40	40	71,6	B	60



FUJI

GREY

DOTZ
WHEELS



FUJI grey
gunmetal
18 - 20"

Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthål
7,5 x 18	4/100	OFUF2FA35	35	60,1	B	60
7,5 x 18	4/100	OFUF2FA45	45	60,1	B	60
7,5 x 18	4/108	OFUF3FA31	31	65,1	F	60
7,5 x 18	4/108	OFUF3FA45	45	63,4	F	60
7,5 x 18	5/100	OFUF6FA46E	46	57,1	F	R13
7,5 x 18	5/112	OFUF8FA48	48	70,1	B	60
7,5 x 18	5/112	OFUF8FA50E	50	57,1	F	R13
7,5 x 18	5/114,3	OFUF0FA48	48	71,6	B	60
8 x 18	5/108	OFUGHFA42E	42	63,4	F	60
8 x 18	5/108	OFUGHFA45	45	70,1	B	60
8 x 18	5/112	OFUG8FA35	35	70,1	B	60
8 x 18	5/112	OFUG8FA44E	44	57,1	F	R13
8 x 18	5/114,3	OFUG0FA40	40	71,6	B	60
7,5 x 19	5/108	OFU9JHFA48	48	70,1	B	60
7,5 x 19	5/112	OFU9J8FA40	40	70,1	B	60
7,5 x 19	5/112	OFU9J8FA48	48	70,1	B	60
7,5 x 19	5/112	OFU9J8FA50E	50	57,1	F	R13
8 x 19	5/108	OFU9KHFA40	40	70,1	B	60
8 x 19	5/112	OFU9K8FA30E	30	66,6	F	60
8 x 19	5/112	OFU9K8FA35	35	70,1	B	60
8 x 19	5/112	OFU9K8FA40	40	70,1	B	60
8 x 19	5/112	OFU9K8FA45E	45	57,1	F	R13
8 x 19	5/112	OFU9K8FA50	50	70,1	B	60
8 x 19	5/114,3	OFU9K0FA40	40	71,6	B	60
8 x 19	5/114,3	OFU9K0FA48	48	71,6	B	60
9 x 19	5/112	OFU9M8FA35	35	70,1	B	60
9 x 19	5/112	OFU9M8FA44E	44	66,6	F	60
9 x 19	5/112	OFU9M8FA51	51	70,1	B	60
9 x 19	5/114,3	OFU9M0FA40	40	71,6	B	60
8 x 20	5/108	OFU0KHFA40	40	70,1	B	60
8 x 20	5/112	OFU0K8FA30E	30	66,6	F	60
8 x 20	5/112	OFU0K8FA35	35	70,1	B	60
8 x 20	5/112	OFU0K8FA40	40	70,1	B	60
8 x 20	5/112	OFU0K8FA45E	45	57,1	F	R13
8 x 20	5/114,3	OFU0K0FA45	45	71,6	B	60
9 x 20	5/108	OFU0MHFA40	40	63,4	F	60
9 x 20	5/112	OFU0M8FA28	28	70,1	B	60
9 x 20	5/112	OFU0M8FA35	35	70,1	B	60
9 x 20	5/112	OFU0M8FA42E	42	57,1	F	R13
9 x 20	5/112	OFU0M8FA44E	44	66,6	F	60
9 x 20	5/114,3	OFU0M0FA40	40	71,6	B	60





FUJI gold
gold
18 - 20"

Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthål
7,5 x 18	5/112	OFUF8DA48	48	70,1	B	60
7,5 x 18	5/114,3	OFUF0DA48	48	71,6	B	60
8 x 18	5/112	OFUG8DA40	40	70,1	B	60
8 x 19	5/112	OFU9K8DA30E	30	66,6	F	60
8 x 19	5/112	OFU9K8DA35	35	70,1	B	60
8 x 19	5/112	OFU9K8DA40	40	70,1	B	60
8 x 19	5/112	OFU9K8DA45E	45	57,1	F	R13
8 x 19	5/114,3	OFU9K0DA48	48	71,6	B	60
9 x 19	5/112	OFU9M8DA40	40	70,1	B	60
9 x 19	5/112	OFU9M8DA44E	44	66,6	F	60
9 x 19	5/114,3	OFU9M0DA40	40	71,6	B	60
8 x 20	5/112	OFU0K8DA30E	30	66,6	F	60
8 x 20	5/112	OFU0K8DA40	40	70,1	B	60
8 x 20	5/112	OFU0K8DA45E	45	57,1	F	R13
9 x 20	5/112	OFU0M8DA40	40	70,1	B	60
9 x 20	5/112	OFU0M8DA42E	42	57,1	F	R13
9 x 20	5/112	OFU0M8DA44E	44	66,6	F	60
9 x 20	5/114,3	OFU0M0DA40	40	71,6	B	60





TN dark
black polished
15 - 17"

Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthål
5,5 x 15	4/100	TTNJ2BP41 E	41	57,1	F	R13
6 x 15	4/100	TTNK2BP40E	40	60,1	F	60
6 x 15	4/98	TTNK1BP40E	40	58,1	F	60
6 x 16	4/100	TTNO2BP50E	50	54,1	F	60
6 x 16	4/98	TTNO1BP41E	41	58,1	F	60
6,5 x 16	4/100	TTNZ2BP37E	37	60,1	F	60
6,5 x 16	4/108	TTNZ3BP20E	20	65,1	F	FL
6,5 x 16	4/108	TTNZ3BP32E	32	65,1	F	FL
6,5 x 16	4/108	TTNZ3BP38E	38	65,1	F	FL
7 x 17	4/108	TTNY3BP25E	25	65,1	F	FL
7 x 17	4/108	TTNY3BP32E	32	65,1	F	FL
7 x 17	4/98	TTNY1BP35E	35	58,1	F	60





MAK Gravel

Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthél
7,5 x 17	6/114,3	DGR7KBP30	30	66,1	F	60
7,5 x 17	6/114,3	DGR7KBP45	45	66,1	F	60
7,5 x 17	6/130	DGR7ZBP55	55	84,1	F	R14
7,5 x 17	6/139,7	DGR7DBP25	25	106,1	F	60
7,5 x 17	6/139,7	DGR7DBP33	33	100,1	F	60
7,5 x 17	6/139,7	DGR7DBP50	50	93,1	F	60
8 x 18	6/114,3	DGRGKBP30	30	66,1	F	60
8 x 18	6/114,3	DGRGKBP45	45	66,1	F	60
8 x 18	6/130	DGRGZBP53	53	84,1	F	R14
8 x 18	6/139,7	DGRGDBP30	30	100,1	F	60
8 x 18	6/139,7	DGRGDBP50	50	93,1	F	60

MAK Gravel black

Dim.	PCD	Bestnr	ET	CB	CD typ	Bulthél
7,5 x 17	6/114,3	DGR7KKA30	30	66,1	F	60
7,5 x 17	6/114,3	DGR7KKA45	45	66,1	F	60
7,5 x 17	6/130	DGR7ZKA55	55	84,1	F	R14
7,5 x 17	6/139,7	DGR7DKA25	25	106,1	F	60
7,5 x 17	6/139,7	DGR7DKA33	33	100,1	F	60
7,5 x 17	6/139,7	DGR7DKA50	50	93,1	F	60
8 x 18	6/114,3	DGRGKKA30	30	66,1	F	60
8 x 18	6/114,3	DGRGKKA45	45	66,1	F	60
8 x 18	6/130	DGRGZKA53	53	84,1	F	R14
8 x 18	6/139,7	DGRGDKA30	30	100,1	F	60
8 x 18	6/139,7	DGRGDKA50	50	93,1	F	60